Reply to Office Action of April 4, 2006

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A fan housing mounted on a frame of a system, comprising:

a main body;

a first section disposed on the main body and having a through hole;

a second section disposed on the main body, wherein a gap is formed between the first

and second sections; and

a fixing portion formed in the gap; and

a fastening structure passing through the first section via the through hole and partially

disposed in the gap;

wherein the second section prevents one end of the fastening structure from being

exposed.

2. (Currently Amended) The fan housing as claimed in claim 1, further comprising a

fastening structure partially disposed in the gap, wherein the fixing portion prevents the fastening

structure from rotating and limits the position of the fastening structure.

3. (Currently Amended) The fan housing as claimed in claim 2, wherein the first section

has a through hole and the fastening structure includes a screw and a nut disposed in the gap, the

nut is in aligned with the through hole by the fixing portion, the screw passes through the

through hole and engages with the nut, and the first and second sections prevent the nut from

moving along an axial direction of the screw.

Application No. 10/779,674 Docket No.: 0941-0918P

Amendment dated July 5, 2006 Reply to Office Action of April 4, 2006

4. (Original) The fan housing as claimed in claim 3, wherein the second section has a

recess aligned with the through hole of the first section, and the screw is further accommodated

by the recess.

5. (Original) The fan housing as claimed in claim 2, wherein the fastening structure has a

profile corresponding to that of the fixing portion.

6. (Currently Amended) The fan housing as claimed in claim 21, wherein the main body

is rectangular, and the first and second sections, the fixing portion and the fastening structure are

disposed at corners of the main body.

7. (Currently Amended) The fan housing as claimed in claim 21, wherein the fastening

structure comprises a hook passing through the through hole and connected to the gap for

mounting the fan housing on the frame in the system.

8. (Cancelled)

9. (Original) The fan housing as claimed in claim 1, wherein the main body, the first and

second sections and the fixing portion are an integral structure formed by injection molding.

Application No. 10/779,674 Amendment dated July 5, 2006 Reply to Office Action of April 4, 2006

- 10. (Original) The fan housing as claimed in claim 1, further comprising a base at a bottom of the main body, wherein a plurality of ribs or stator blades are disposed between the base and the main body for guiding an air flow.
- 11. (Original) The fan housing as claimed in claim 10, wherein the stator blades have the same inclined angle.
 - 12. (Currently Amended) A fan assembly, comprising:
 - a rotor; and
 - a fan housing having a base to receive the rotor, the fan housing comprising:
 - a main body;
 - a first section disposed on the main body and having a through hole;
- a second section disposed on the main body, wherein a gap is formed between the first and second sections; and
 - a fixing portion formed in the gap; and
- a fastening structure passing through the first section via the through hole and partially disposed in the gap;

wherein the second section prevents one end of the fastening structure from being exposed.

Application No. 10/779,674 Docket No.: 0941-0918P

Amendment dated July 5, 2006

Reply to Office Action of April 4, 2006

13. (Currently Amended) The fan assembly as claimed in claim 12, further comprising a

fastening structure partially disposed in the gap, wherein the fixing portion prevents the fastening

structure from rotating and limits the position of the fastening structure.

14. (Currently Amended) The fan assembly as claimed in claim 13, wherein the first

section has a through hole and the fastening structure includes a screw and a nut disposed in the

gap, the nut is in aligned with the through hole by the fixing portion, the screw passes through

the through hole and engages with the nut, the first and second sections prevent the nut from

moving along an axial direction of the screw.

15. (Original) The fan assembly as claimed in claim 14, wherein the second section has a

recess aligned with the through hole of the first section, and the screw is further accommodated

by the recess.

16. (Original) The fan assembly as claimed in claim 13, wherein the fastening structure

has a profile corresponding to that of the fixing portion.

17. (Currently Amended) The fan assembly as claimed in claim 132, wherein the main

body is rectangular, and the first and second sections, the fixing portion and the fastening

structure are disposed at corners of the main body.

Application No. 10/779,674 Amendment dated July 5, 2006

Reply to Office Action of April 4, 2006

18. (Currently Amended) The fan assembly as claimed in claim 132, wherein the

Docket No.: 0941-0918P

fastening structure comprises a hook passing through the through hole and connected to the gap

for mounting the fan housing on the frame in the system.

19. (Cancelled)

20. (Original) The fan assembly as claimed in claim 12, wherein the main body, the first

and second sections and the fixing portion are an integral structure formed by injection molding.

21. (Original) The fan assembly as claimed in claim 12, wherein the base at a bottom of

the main body supports the rotor, a plurality of ribs or stator blades are disposed between the

base and the main body for guiding an air flow.

22. (Original) The fan housing as claimed in claim 21, wherein the stator blades have the

same inclined angle and shape similar to those of rotor blades of the rotor.